

# Bee's Wellness 1800mg Water Soluble

Sample ID: 2603NBL0485.1345  
Matrix: Ingestible  
Type: Tincture  
Sample Size:  
Date Collected:

Received: 03/20/2026  
Completed: 03/27/2026  
Expires: 03/27/2027  
External Lot ID:  
Batch#: WS1800-101

Client  
**Bee's Wellness Cafe**  
Lic. # 86  
3030 Thousand Oaks #102 San Antonio, TX 78247  
info@beeswellnesscafe.com



## Summary

Test	Date Tested	Result
Cannabinoids	03/24/2026	Complete
Residual Solvents	03/26/2026	Complete
Microbials	03/20/2026	Complete
Mycotoxins	03/25/2026	Complete
Pesticides	03/25/2026	Complete
Heavy Metals	03/25/2026	Complete
Foreign Matter	03/20/2026	Not Detected

## Cannabinoids

Complete

<b>45.713 mg/unit</b> Total THC	<b>0.1458%</b> Δ9-THC	<b>2,044.601 mg/unit</b> Total CBD	<b>2,146.547 mg/unit</b> Total Cannabinoids
------------------------------------	--------------------------	---------------------------------------	--

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL
(6aR,9R)-d10-THC	3.0585	4.588	ND	ND
9R-HHC	3.0585	4.588	ND	ND
(6aR,9S)-d10-THC	3.0585	4.588	ND	ND
9S-HHC	3.0585	4.588	ND	ND
CBC	3.0585	4.588	25.454	0.84846
CBCa	3.0585	4.588	ND	ND
CBD	3.0585	4.588	2044.601	68.15337
CBDa	3.0585	4.588	ND	ND
CBDV	3.0585	4.588	6.763	0.22544
CBDVa	3.0585	4.588	ND	ND
CBG	3.0585	4.588	ND	ND
CBGa	3.0585	4.588	ND	ND
CBN	3.0585	4.588	19.135	0.63784
CBNa	3.0585	4.588	ND	ND
Δ8-THC	3.0585	4.588	4.880	0.16268
Δ9-THC	3.0585	4.588	45.713	1.52378
THCa	3.0585	4.588	ND	ND
THCp	3.0585	4.588	ND	ND
THCV	3.0585	4.588	ND	ND
THCVa	3.0585	4.588	ND	ND
<b>Total THC</b>			<b>45.713</b>	<b>1.52378</b>
<b>Total CBD</b>			<b>2044.601</b>	<b>68.15337</b>
<b>Total</b>			<b>2146.547</b>	<b>71.55157</b>

Date Tested: 03/24/2026  
Density: 1 mL = 1.045 g, Unit Mass: 31.350 g, 1 Unit = 30 mL  
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019  
Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
03/27/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



# Bee's Wellness 1800mg Water Soluble

Sample ID: 2603NBL0485.1345

Received: 03/20/2026

Client

Matrix: Ingestible

Completed: 03/27/2026

Bee's Wellness Cafe

Type: Tincture

Expires: 03/27/2027

Lic. # 86

Sample Size:

External Lot ID:

3030 Thousand Oaks #102 San Antonio, TX 78247

Date Collected:

Batch#: WS1800-101

info@beeswellnesscafe.com

## Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.101	0.029		ND	Tested	Fludioxonil	0.097	0.029		ND	Tested
Acephate	0.097	0.029		ND	Tested	Hexythiazox	0.097	0.029		ND	Tested
Acequinocyl	0.097	0.029		ND	Tested	Imazalil	0.097	0.029		ND	Tested
Acetamiprid	0.097	0.029		ND	Tested	Imidacloprid	0.097	0.029		ND	Tested
Aldicarb	0.097	0.029		ND	Tested	Kresoxim Methyl	0.097	0.029		ND	Tested
Azoxystrobin	0.097	0.029		ND	Tested	Malathion	0.097	0.029		ND	Tested
Bifenazate	0.097	0.029		ND	Tested	Metalaxyl	0.097	0.029		ND	Tested
Bifenthrin	0.097	0.029		ND	Tested	Methiocarb	0.097	0.029		ND	Tested
Boscalid	0.097	0.029		ND	Tested	Methomyl	0.097	0.029		ND	Tested
Captan	0.677	0.203		ND	Tested	Mevinphos	0.097	0.029		ND	Tested
Carbaryl	0.097	0.029		ND	Tested	Myclobutanil	0.097	0.029		ND	Tested
Carbofuran	0.097	0.029		ND	Tested	Naled	0.242	0.074		ND	Tested
Chlorantraniliprole	0.097	0.029		ND	Tested	Oxamyl	0.097	0.029		ND	Tested
Chlorfenapyr	0.077	0.029		ND	Tested	Paclbutrazol	0.097	0.029		ND	Tested
Chloromequat	0.097	0.029		ND	Tested	Methyl Parathion	0.077	0.029		ND	Tested
Chlorpyrifos	0.097	0.029		ND	Tested	Pentachloronitrobenzene	0.077	0.029		ND	Tested
Clofentezine	0.097	0.029		ND	Tested	Permethrins	0.097	0.029		ND	Tested
Coumaphos	0.097	0.029		ND	Tested	Phosmet	0.097	0.029		ND	Tested
Cyfluthrin	0.484	0.145		ND	Tested	Piperonyl Butoxide	0.097	0.029		ND	Tested
Cypermethrin	0.484	0.145		ND	Tested	Prallethrin	0.097	0.029		ND	Tested
Daminozide	0.967	0.290		ND	Tested	Propiconazole	0.097	0.029		ND	Tested
Diazinon	0.097	0.029		ND	Tested	Propoxur	0.097	0.029		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested	Pyrethrins	0.484	0.145		ND	Tested
Dimethoate	0.097	0.029		ND	Tested	Pyridaben	0.097	0.029		ND	Tested
Dimethomorph	0.093	0.029		ND	Tested	Spinetoram	0.097	0.029		ND	Tested
Ethoprophos	0.097	0.029		ND	Tested	Spinosad	0.099	0.029		ND	Tested
Etofenprox	0.097	0.029		ND	Tested	Spiromesifen	0.097	0.029		ND	Tested
Etoxazole	0.097	0.029		ND	Tested	Spirotetramat	0.097	0.029		ND	Tested
Fenhexamid	0.097	0.029		ND	Tested	Spiroxamine	0.097	0.029		ND	Tested
Fenoxycarb	0.097	0.029		ND	Tested	Tebuconazole	0.097	0.029		ND	Tested
Fenpyroximate	0.097	0.029		ND	Tested	Thiacloprid	0.097	0.029		ND	Tested
Fipronil	0.097	0.029		ND	Tested	Thiamethoxam	0.097	0.029		ND	Tested
Flonicamid	0.097	0.029		ND	Tested	Trifloxystrobin	0.097	0.029		ND	Tested

Date Tested: 03/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
03/27/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Bee's Wellness 1800mg Water Soluble

Sample ID: 2603NBL0485.1345  
Matrix: Ingestible  
Type: Tincture  
Sample Size:  
Date Collected:

Received: 03/20/2026  
Completed: 03/27/2026  
Expires: 03/27/2027  
External Lot ID:  
Batch#: WS1800-101

Client  
**Bee's Wellness Cafe**  
Lic. # 86  
3030 Thousand Oaks #102 San Antonio, TX 78247  
info@beeswellnesscafe.com

### Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	6407	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 03/20/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

### Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 03/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

### Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.093		ND	Tested
Cadmium	0.047	0.093		ND	Tested
Lead	0.047	0.093		ND	Tested
Mercury	0.047	0.093		ND	Tested
Palladium	0.047	0.233		ND	Tested
Selenium	0.047	0.093		ND	Tested

Date Tested: 03/25/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
03/27/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Bee's Wellness 1800mg Water Soluble

Sample ID: 2603NBL0485.1345

Received: 03/20/2026

Client

Matrix: Ingestible

Completed: 03/27/2026

**Bee's Wellness Cafe**

Type: Tincture

Expires: 03/27/2027

Lic. # 86

Sample Size:

External Lot ID:

3030 Thousand Oaks #102 San Antonio, TX 78247

Date Collected:

Batch#: WS1800-101

info@beeswellnesscafe.com

### Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	89.286	297.619		ND	Tested
Benzene	0.357	1.190		ND	Tested
n-Butane	82.143	273.810		ND	Tested
Isobutane	82.143	273.810		ND	Tested
Ethanol	89.286	297.619		ND	Tested
Ethyl Acetate	89.286	297.619		ND	Tested
Heptane	89.286	297.619		ND	Tested
n-Hexane	1.786	5.952		ND	Tested
2,2-Dimethylbutane	1.786	5.952		ND	Tested
3-Methylpentane	1.786	5.952		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.571	11.905		ND	Tested
Methanol	35.714	119.048		ND	Tested
Isopentane	82.143	273.810		ND	Tested
n-Pentane	35.714	119.048		ND	Tested
Neopentane	82.143	273.810		ND	Tested
2-Propanol	89.286	297.619		ND	Tested
Propane	357.143	1190.476		ND	Tested
Toluene	0.179	0.595		ND	Tested
Ethylbenzene	0.179	0.595		ND	Tested
m/p-Xylene	0.179	0.595		ND	Tested
o-Xylene	0.179	0.595		ND	Tested
1,1-Dichloroethene	0.714	2.381		ND	Tested
1,2-Dichloroethane	0.714	2.381		ND	Tested
Ethylene Oxide	1.786	5.952		ND	Tested
Acetonitrile	7.143	23.810		ND	Tested
Chloroform	0.714	2.381		ND	Tested
Ethyl Ether	89.286	297.619		ND	Tested
Dichloromethane	35.714	119.048		ND	Tested
Trichloroethene	7.143	23.810		ND	Tested
2,3-Butanedione	35.714	119.048		ND	Tested

Date Tested: 03/26/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
03/27/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

