

Bee's Wellness 900mg Water Soluble

Sample ID: 2603NBL0485.1344

Matrix: Ingestible

Type: Tincture

Sample Size:

Date Collected:

Received: 03/20/2026

Completed: 03/27/2026

Expires: 03/27/2027

External Lot ID:

Batch#: WS900-101

Client

Bee's Wellness Cafe

Lic. # 86

3030 Thousand Oaks #102 San Antonio, TX 78247

info@beeswellnesscafe.com



Summary

Test	Date Tested	Result
Cannabinoids	03/24/2026	Complete
Residual Solvents	03/26/2026	Complete
Microbials	03/20/2026	Complete
Mycotoxins	03/25/2026	Complete
Pesticides	03/25/2026	Complete
Heavy Metals	03/25/2026	Complete
Foreign Matter	03/20/2026	Not Detected

Cannabinoids

Complete

20.567 mg/unit Total THC	0.0663% Δ9-THC	1,230.625 mg/unit Total CBD	1,289.357 mg/unit Total Cannabinoids
------------------------------------	--------------------------	---------------------------------------	--

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL
(6aR,9R)-d10-THC	2.9684	4.453	ND	ND
9R-HHC	2.9684	4.453	ND	ND
(6aR,9S)-d10-THC	2.9684	4.453	ND	ND
9S-HHC	2.9684	4.453	ND	ND
CBC	2.9684	4.453	9.899	0.32996
CBCa	2.9684	4.453	ND	ND
CBD	2.9684	4.453	1230.625	41.02082
CBDa	2.9684	4.453	ND	ND
CBDV	2.9684	4.453	<LOQ	<LOQ
CBDVa	2.9684	4.453	ND	ND
CBG	2.9684	4.453	14.961	0.49871
CBGa	2.9684	4.453	ND	ND
CBN	2.9684	4.453	13.305	0.44349
CBNa	2.9684	4.453	ND	ND
Δ8-THC	2.9684	4.453	ND	ND
Δ9-THC	2.9684	4.453	20.567	0.68558
THCa	2.9684	4.453	ND	ND
THCp	2.9684	4.453	ND	ND
THCV	2.9684	4.453	ND	ND
THCVa	2.9684	4.453	ND	ND
Total THC			20.567	0.68558
Total CBD			1230.625	41.02082
Total			1289.357	42.97856

Date Tested: 03/24/2026

Density: 1 mL = 1.034 g, Unit Mass: 31.020 g, 1 Unit = 30 mL

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



Bee's Wellness 900mg Water Soluble

Sample ID: 2603NBL0485.1344

Received: 03/20/2026

Client

Matrix: Ingestible

Completed: 03/27/2026

Bee's Wellness Cafe

Type: Tincture

Expires: 03/27/2027

Lic. # 86

Sample Size:

External Lot ID:

3030 Thousand Oaks #102 San Antonio, TX 78247

Date Collected:

Batch#: WS900-101

info@beeswellnesscafe.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested	Fludioxonil	0.099	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested	Hexythiazox	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested	Imazalil	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested	Imidacloprid	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested	Kresoxim Methyl	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested	Malathion	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested	Metalaxyl	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested	Methiocarb	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested	Methomyl	0.099	0.030		ND	Tested
Captan	0.692	0.208		ND	Tested	Mevinphos	0.099	0.030		ND	Tested
Carbaryl	0.099	0.030		ND	Tested	Myclobutanil	0.099	0.030		ND	Tested
Carbofuran	0.099	0.030		ND	Tested	Naled	0.247	0.075		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested	Oxamyl	0.099	0.030		ND	Tested
Chlorfenapyr	0.079	0.030		ND	Tested	Paclbutrazol	0.099	0.030		ND	Tested
Chloromequat	0.099	0.030		ND	Tested	Methyl Parathion	0.079	0.030		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested	Pentachloronitrobenzene	0.079	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested	Permethrins	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested	Phosmet	0.099	0.030		ND	Tested
Cyfluthrin	0.494	0.148		ND	Tested	Piperonyl Butoxide	0.099	0.030		ND	Tested
Cypermethrin	0.494	0.148		ND	Tested	Prallethrin	0.099	0.030		ND	Tested
Daminozide	0.988	0.296		ND	Tested	Propiconazole	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested	Propoxur	0.099	0.030		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyrethrins	0.494	0.148		ND	Tested
Dimethoate	0.099	0.030		ND	Tested	Pyridaben	0.099	0.030		ND	Tested
Dimethomorph	0.095	0.030		ND	Tested	Spinetoram	0.099	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested	Spinosad	0.101	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested	Spiromesifen	0.099	0.030		ND	Tested
Etoxazole	0.099	0.030		ND	Tested	Spirotetramat	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested	Spiroxamine	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested	Tebuconazole	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested	Thiacloprid	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested	Thiamethoxam	0.099	0.030		ND	Tested
Fonicamid	0.099	0.030		ND	Tested	Trifloxystrobin	0.099	0.030		ND	Tested

Date Tested: 03/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Bee's Wellness 900mg Water Soluble

Sample ID: 2603NBL0485.1344

Received: 03/20/2026

Client

Matrix: Ingestible

Completed: 03/27/2026

Bee's Wellness Cafe

Type: Tincture

Expires: 03/27/2027

Lic. # 86

Sample Size:

External Lot ID:

3030 Thousand Oaks #102 San Antonio, TX 78247

Date Collected:

Batch#: WS900-101

info@beeswellnesscafe.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	2760	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 03/20/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 03/25/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.097		ND	Tested
Cadmium	0.048	0.097		ND	Tested
Lead	0.048	0.097		ND	Tested
Mercury	0.048	0.097		ND	Tested
Palladium	0.048	0.242		ND	Tested
Selenium	0.048	0.097		ND	Tested

Date Tested: 03/25/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley Phillips

Ashley Phillips
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Bee's Wellness 900mg Water Soluble

Sample ID: 2603NBL0485.1344

Matrix: Ingestible

Type: Tincture

Sample Size:

Date Collected:

Received: 03/20/2026

Completed: 03/27/2026

Expires: 03/27/2027

External Lot ID:

Batch#: WS900-101

Client

Bee's Wellness Cafe

Lic. # 86

3030 Thousand Oaks #102 San Antonio, TX 78247

info@beeswellnesscafe.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		ND	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested
1,1-Dichloroethene	0.577	1.923		ND	Tested
1,2-Dichloroethane	0.577	1.923		ND	Tested
Ethylene Oxide	1.442	4.808		ND	Tested
Acetonitrile	5.769	19.231		ND	Tested
Chloroform	0.577	1.923		ND	Tested
Ethyl Ether	72.115	240.385		ND	Tested
Dichloromethane	28.846	96.154		ND	Tested
Trichloroethene	5.769	19.231		ND	Tested
2,3-Butanedione	28.846	96.154		ND	Tested

Date Tested: 03/26/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/27/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.